CHEMICAL PHYSICS

Volume 211, number 1,2,3, 1 November 1996

Contents

Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential
L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 1

Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical
G.S. Peng and R.P. Parson 17

Correlated electronic potential-energy surfaces for proton interactions with N_2
F.A. Gianturco, S. Kumar and F. Schneider 33

Solvent reorganization energy of electron transfer in weakly polar solvents
D.V. Matyushov 47

Spin–orbit effects in fullerenes
F.J. Adrian 73

Al,Si ordering in chabazites: A Monte Carlo study
M.C. Gordillo and C.P. Herrero 81

Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory
H.K. McDowell and A.M. Clogston 91

The Neel point for spin-transition systems: toward a two-step transition
H. Bolvin 101

Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas
P.P. Ong and M.-M. Li 115

A Kramers reaction rate theory for electrochemical ion transfer reactions
M.T.M. Koper and W. Schmickler 123

Ab initio calculations of the rovibrational states of He_2N^{2+}
J.M. Hughes and E.I. von Nagy-Felsobuki 135

Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives
A. Broo and A. Holmén 147

The dissociation energies of FeF, FeCl, and FeBr and their positive ions
C.W. Bauschlicher Jr. 163

Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules
T. Hamada 171

Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer
P. Wind and I. Røeggen 179

(continued on page 3 of cover)

Contents

(continued from page 4 of cover)

Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra
J. Koperski 191

The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria
V.I. Novoderezhkin and A.P. Razjivin 203

Experimental and theoretical study of the recombination reaction of FC(O)O radicals
A.E. Croce, C.J. Cobos and E. Castellano 215

Molecular dynamics simulations of cis–trans isomerization for a proline-containing tripeptide in solution
S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 227

Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation
J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 235

Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances
M. Monnerville and J.-M. Robbe 249

Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems
P. Saalfrank 265

An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$)
N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 277

An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region
A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 291

Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He
H. Martinez and A. Amaya-Tapia 299

Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies
H. Tachikawa 305

A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia
T. Kerdcharoen, K.R. Liedl and B.M. Rode 313

Generalized oscillator strengths for SF_6 in the S 2p inner-shell region
Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 325

Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal
R. Tarroni and C. Zannoni 337

(continued on preceding page)

Contents

(continued from page 3 of cover)

Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study
J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 347

Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9
J. Szczepanski, S. Ekern, C. Chapo and M. Vala 359

Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices
N. Legay-Sommaire and F. Legay 367

Photophysics and photochemistry of I_2 (D, D′) in rare gas clusters
K.L. Randall and D.J. Donaldson 377

Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm
K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 387

Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+$–$X\,^2\Sigma_g^+$ system
K. Boudjarane, A. Alikacem and M. Larzillière 393

Pressure effects on the Cl_2(D′–A′) transition at 258 nm
J.B. Nee and S. Hubinger 403

The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film
J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 413

Single molecule polarization spectroscopy: pentacene in p-terphenyl
F. Güttler, M. Croci, A. Renn and U.P. Wild 421

Higher excited-state triplet–singlet intersystem crossing of some organic dyes
S. Reindl and A. Penzkofer 431

Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation
Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 441

Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye
M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 455

Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique
F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 469

Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution
E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 489

(Continued on preceding page)

Contents

(Continued from following page)

Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques
P.C. Ray, N. Munichandraiah and P.K. Das 499

Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions
H. Zheng, K. Jiang, Q. Zhang and J. Wang 507

Comment

Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm"
S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 517

Author index 517

Subject index 523

Instructions to authors 535